

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	622	(320/101).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/08/06 10:58
S2	305	(320/103).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/08/07 18:42
S3	125	(320/140).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/08/07 18:44
S4	245	(320/148).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/08/07 18:45
S5	384	(320/160).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/08/07 18:45
S6	687	(320/162).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/08/07 18:45
S7	441	(324/433).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/08/07 18:46
S8	3238	charg\$3 with battery and constant with power and control and (reference with voltage) and (stabiliz \$3 or even or level\$3) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/14 18:37
S9	1375	S8 and ("320"/\$.ccls. or "324"/\$.ccls. or "363"/\$.ccls. or "361"/ \$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/14 18:38

S10	1135	S9 and (comparator or compar\$3) and ((detect\$3 or sens\$3 or measur\$3 or monitor\$3) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/14 18:40
S11	230	S10 and (reference with voltage with capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/14 18:41
S12	467	S10 and (decreas\$3 or lower\$3 or chang\$3) with reference with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/14 18:43
S13	130	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/14 18:43
S14	3238	charg\$3 with battery and constant with power and control and (reference with voltage) and (stabiliz\$3 or even or level\$3) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/15 18:11
S15	1375	S14 and ("320"/\$.ccls. or "324"/\$.ccls. or "363"/\$.ccls. or "361"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/15 18:11
S16	1135	S15 and (comparator or compar\$3) and ((detect\$3 or sens\$3 or measur\$3 or monitor\$3) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/15 18:11
S17	230	S16 and (reference with voltage with capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/15 18:11
S18	467	S16 and (decreas\$3 or lower\$3 or chang\$3) with reference with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/15 18:11
S19	130	S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/15 18:11

S20	50	S19 and (constant near2 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/15 18:11
S21	0	S19 and (constant-power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/15 18:44
S23	843	charg\$3 with battery and constant with power and control and (reference with voltage) and (feed \$1back) and ((chang \$3 or rais\$3 or lower \$3 or increas\$3 or decreas\$3) with reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:34
S24	320	charg\$3 with battery and constant near2 power and control and (reference with voltage) and (feed \$1back) and ((chang \$3 or rais\$3 or lower \$3 or increas\$3 or decreas\$3) with reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:35
S25	140	S24 and ("320"/\$.ccls. or "324"/\$.ccls. or "363"/\$.ccls. or "361"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:35
S26	3238	charg\$3 with battery and constant with power and control and (reference with voltage) and (stabiliz \$3 or even or level\$3) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:36
S27	1375	S26 and ("320"/\$.ccls. or "324"/\$.ccls. or "363"/\$.ccls. or "361"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:36
S28	1135	S27 and (comparator or compar\$3) and ((detect\$3 or sens\$3 or measur\$3 or monitor\$3) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:36

S29	230	S28 and (reference with voltage with capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:36
S30	467	S28 and (decreas\$3 or lower\$3 or chang\$3) with reference with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:36
S31	130	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:36
S32	50	S31 and (constant near2 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:36
S33	109	S25 not (S31 or S32)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/16 22:36
S36	2	"20030067283"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/17 23:27
S37	6040	(two or multiple) with (constant near3 current with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/08/18 00:24

8/18/2008 10:33:41 AM

C:\Documents and Settings\apiggush\My Documents\EAST\Workspaces\10590244.wsp